



**NESTS/CIVIL/HSCL-JHARKHAND/65/2021**

**Dated: 01.05.2023**

**E-File No. 18692**

**To,**

**Zonal Manager/s,  
NPCC/ HSCL/ B&R/ WAPCOS/ TCIL/MANIDCO/EPIL/MTDC**

**Sub: - Provision of Grade Slab at Plinth Level reg.**

Kind attention is invited towards the letter of even no. dated 27.12.2022.

In this regard, as approved by Competent Authority the paragraph- *“Therefore, PSU may submit the proposal ..... with prior approval of NESTS. xxxx”* is replaced with following directions:

*“Accordingly, Competent Authorities of PSUs shall give their approval after thoroughly examining and satisfying themselves that RCC grade slab is required in view of poor soil conditions with proper justification and financial implications. RCC Grade slab shall be 100 mm thick mix M20 with nominal reinforcement of 8 mm diameter which may be provided in school building **excluding Ramp**, hostels building and kitchen building **excluding Kitchen Courtyard** only, keeping in light availability of funds, with an intimation of the approval of the Competent Authorities of PSUs in r/o the same to the NESTS at the earliest.”*

Rest of the content of the aforementioned letter remains the same.

**This letter is issued in suppression of letter of even no. dated 25.04.2023 (enclosed).**

Yours sincerely,

**(Gourav Sharma)**

Asstt. Commissioner, NESTS

**Copy to:**

1. PS to the Principal Secretary/Secretary/Nodal Officer of EMRS Works of the Tribal Welfare/Development Department of the State Government concerned please;
2. Nodal Officer of the EMRS Works of the PSU concerned;
3. PS to Commissioner, NESTS;
4. PS to Addl. Commissioner, NESTS;
5. Guard File.



F.No.: NESTS/CIVIL/HSCL-JHARKHAND/65/2021  
E-File No. 18692

Dated: 27.12.2022

To

Zonal Manager/s,  
NPCC/ HSCL/ B&R/ WAPCOS/ TCIL/MANIDCO/EPIL/MTDC.

**Sub: - Provision of Grade Slab at Plinth Level reg.**

Construction of Eklavya Model Residential School/EMDBS is in progress in many locations and few schools are near completion. Recently few cases have been received regarding provisions of RCC grade slab at Plinth Level for better longevity of flooring.

In this regard, I am directed to convey in -principal approval of competent authority for provision of RCC grade slab with nominal reinforcement at plinth level subject to availability of fund and wherever it demands as a technical requirement.

Therefore, PSU may submit the proposal wherever, they feel that RCC grade slab is required in view of poor soil conditions with proper justification and financial implications. Grade Slab shall be 100 mm thick mix M20 with nominal 8 mm reinforcement and may be provided **only** in school, hostels and kitchen buildings keeping in light availability of funds, with prior approval of NESTS.

This issues with approval of the Competent Authority.

Yours sincerely,

(K. C. Meena)

Additional Commissioner, NESTS

**Copy to:**

1. PS to Commissioner, NESTS.
2. Guard File.



NESTS/CIVIL/HSCL-JHARKHAND/65/2021

Dated: 25.04.2023

E-File No. 18692

To,

**Zonal Manager/s,**

NPCC/ HSCL/ B&R/ WAPCOS/ TCIL/MANIDCO/EPIL/MTDC.

**Sub: - Provision of Grade Slab at Plinth Level reg.**

Kind attention is invited towards the letter of even no. dated 27.12.2022 (encl.).

In this regard, as approved by Competent Authority the paragraph- "Therefore, PSU may submit the proposal ..... with prior approval of NESTS. xxxx" is replaced with following directions:

*"Accordingly, Competent Authorities of PSUs shall give their approval after thoroughly examining and satisfying themselves that RCC grade slab is required in view of poor soil conditions with proper justification and financial implications. Grade Slab shall be 100 mm thick mix M20 with nominal 8 mm reinforcement and may be provided only in schools, hostels, and kitchen buildings keeping in light availability of funds, with an intimation of the approval of the Competent Authorities of PSUs in r/o the same to the NESTS at the earliest."*

Rest of the content of the aforementioned letter remains the same.

Yours sincerely,

(Gourav Sharma)  
Asstt. Commissioner, NESTS

**Copy to:**

1. PS to the Principal Secretary/Secretary/Nodal Officer of EMRS Works of the Tribal Welfare/Development Department of the State Government concerned please.
2. Nodal Officer of the EMRS Works of the PSU concerned.
3. PS to Commissioner, NESTS;
4. PS to Addl. Commissioner, NESTS;
5. Guard File.